



# Douwe Egberts Cafitesse Equipment Overview

Equipment Specifics and Applications



Serves your business best

# C-60 Specifications

## 4 Selection Buttons:

Pre-portioned or continuous flow (black only) options

Complete with 30 oz thermal pot

Max cup height 5" w/drip tray; 6" w/o tray

(Fits standard 12 oz cup)

## Products Served:

Black coffee or milk-based specialty coffees, hot water

- Regular, decaf, espresso, latte, cappuccino, etc...

## Products Used:

Two 1.25L bag-in-box cartons (coffee/decaf or coffee/milk)



**Tank Capacity:** 76 ounces

**Flow Rate:** 30 ounces / minute

**Peak Black Coffee Capacity:** (10oz fill):

- Cold water inlet: 55 cups/hour

- Hot water inlet (140o max):159cups/hour

**Weight:** 54 lbs empty; 59 lbs full

**Dimensions:** H 26.6" x W 16.5" x D 15.7"

**Electrical:** 120 v, 15 amp circuit

**Water Supply:** 3/8" water line, 10-100 psi

Douwe  
EGBERTS



Cafitesse™

Serves your business best

# C-60 Applications

Perfect solution for offices & lounges serving @65 cups/day

## Gaming

- High roller area
- Fine Dining restaurant
- Lobby coffee shop
- Catering/party rooms

## Hospital

- Doctors' lounge
- Surgical waiting area
- Outpatient waiting area

## Senior/Assisted Living

- Lounge area
- Recreation room

## Hotel/Lodging

- Fine dining
- Executive meetings
- Concierge

## College & University

- College book store
- Campus coffee shop
- Faculty lounge
- Student lounges
- Kiosks

## Business & Industry

- Executive conference rooms
- Customer meeting areas
- Lobby/Kiosk

## Recreation

- Restaurants
- Meeting areas

## C-Store

- NA (peak capacity & cup size)

## Restaurant

- Casual dining: main dining area



Cafitesse™

Serves your business best